ENERGINET DataHub

Energinet DataHub A/S Tonne Kjærsvej 65 DK-7000 Fredericia

+45 70 10 22 44 info@energinet.dk VAT no. 39 31 50 41

Date: February 15, 2024

Author: DHK/JLI

# CUSTOMER AND THIRD PARTY API FOR DATAHUB (ELOVERBLIK) - DATA DESCRIPTION

# Document history

Version	Date	Description	Author(s)
1.0	22-11-2019	Initial version	Janine Lindberg
1.1	24-11-2021	In section 2.2:	Janine Lindberg
		- Comment added regarding profiled settled me-	
		tering points	
		<ul> <li>Missing values added for disconnectionType</li> </ul>	
		- Obsolete address codes removed	
		In section 2.3:	
		- Description of validFromDate updated	
1.2	21-03-2022	Information regarding date and time formats has	Janine Lindberg
		been added in several sections.	
1.3	30-11-2022	In section 2.3:	Anders Blirup Worm
		Removed fields SubscriptionId, FeeId and TariffId	
		from GetCharges results, as we are unable to provide	
		the data for them.	
		Added field PeriodType to Subscription, Fee and Tar-	
		iff results.	
1.4	06-01-2023	In section 2.5:	Darlow Kiruparajan
		Changed description for out_Quantity.quantity	
1.5	31-10-2023	In Section 2.4 added information about meter read-	Peter Gydesen
		ings no longer being mandatory.	
1.6	15-02-2024	In section 2.2:	Aksel Jensen
		Added new Fields and corrected ProductId codes to	
		match the API response.	

# Table of contents

1.	Intr	roduction	4
2.	Dat	a description	4
	2.1	Authorization master data	4
	2.2	Metering point master data	4
	2.3	Charge data	. 10
	2.4	Meter reading data	. 12
	2.5	Time series data	. 12

# 1. Introduction

This document provides information about the data available in the Customer and Third Party API for DataHub (Eloverblik). Each section describes one or more methods/endpoints and the related output data, including field name, data type and a description.

# 2. Data description

### 2.1 Authorization master data

Below is a list of data that can be retrieved when performing a Get authorizations request.

Field name	Data type	Description
id	String	Unique authorization id.
thirdPartyName	String	Name of the third party.
validFrom	String	The date from when the authorization is valid. The date is ex-
		pressed in UTC as specified in ISO 8601.
validTo	String	The date until when the authorization is valid. The date is ex-
		pressed in UTC as specified in ISO 8601.
customerName	String	Name of the customer extracted from the customer's NemID
		certificate.
customerCVR	String	CVR number of the customer.
customerKey	String	Optional key that was applied to the authorization when it was
		requested from the customer. Can be used to identify the cus-
		tomer.
includeFutureMetering-	Boolean	Specifies whether the customer has accepted that future me-
Points		tering points that will be registered to his CVR will automatically
		be included in the authorization. If the customer has granted
		several authorizations with different includeFutureMetering-
		Points values, then the value of most recent active authoriza-
		tion takes precedence.
timeStamp	String	Date and time when the authorization was registered. The
		date/time is expressed in UTC as specified in ISO 8601.

#### 2.2 Metering point master data

Below is a list of data that can be retrieved when performing a *Get metering points* or a *Get metering point details* request. The actual data returned depends on the type of request and the type of user (customer or third party).

Field name	Data type	Descri	Description				
meteringPointId	String	Unique	e metering point id consistin	g of 18 characters.			
parentMeteringPointId	String	The id	of the related parent meter	ing point. Only applicable for			
		child n	netering points.				
typeOfMP	String	Specifi	ies the type of metering poir	it.			
		Possib	Possible values:				
		Code	Description DK	Description EN			
		D01	VE-produktion	VE Production			
		D02	Analysemålepunkt	Analysis			
		D04 Overskudsproduktion gruppe 6 Surplus production group 6					
		D05	Nettoproduktion	Net production			

	1	DOC			Currelia	to original		
		D06	Leveret til net		Supply			
		D07	Forbrugt fra net			nption from grid		
		D08	Afregningsgrundlag	/ Information		ale services / informatic		
		D09	Egenproduktion			oduction		
		D10	Netto fra net		Net fro			
		D11	Netto til net		Net to g	grid		
		D12	Brutto forbrug		Total co	onsumption		
		D14	Elvarme		Electric	al heating		
		D15	Netto forbrug		Net cor	sumption		
		D17	Øvrigt forbrug		Other c	onsumption		
		D18	Øvrig produktion		Other p	roduction		
		D99	Intern brug		Interna	use		
		E17	Forbrugsmålepunkt	t	Consum	nption		
		E18	Produktionsmålepu	inkt	Product	tion		
energyTimeSeriesMeasure-		Specifi	es the energy me	easurement	unit rel	evant for the meter		
Unit		ing poi	int.					
		Possib	le values:					
		Code	Description DK	Description E	N			
		AMP	Ampere	Ampere				
		H87	Antal styk	STK				
		К3	kVArh	kVArh (KiloVo	lt-Amper	e reactive hour)		
		KWH	kWh	kWh (Kilowat	t-hour)			
		KWT	kW	kW (Kilowatt)				
		MAW	MW	MW (Megawa	att)			
		MWH	MWh	MWh (Megav	vatt-hour	)		
		TNE	Tons	Tonne (metrie	c ton)			
		Z03	MVAr	MVAr (Mega)	/olt-Amp	ere reactive power)		
		Z14	KT (tarif kode)	Danish Tariff	Code			
estimatedAnnualVolume	String	Estima	ited annual consu	l umption/pro	ductior	of the metering		
	0					etering points. May		
						nent methods, but		
						refore not be used.		
settlementMethod	String	Settler	nent method of t	the metering	g point.			
		Possib	le values:					
		Code	Description DK	Description E	N			
		D01	Flexafregnet	Flex settled				
		E01	Skabelonafregnet	Profiled settle	ed			
		E02	Timeafregnet	Non-profiled	settled			
			I					
		If a me	etering point is <b>fle</b>	<b>ex settled</b> or	non-pr	ofiled settled or has		
					-	nergy quantities ar		
			ered for the mete					
					<b>d</b> , <u>profi</u>	led energy quantiti		
		(consu	mption statemer	nts) as well a	s <u>non-p</u>	profiled energy qua		
		(consumption statements) as well as <u>non-profiled energy</u> <u>tities</u> can be registered for the metering point depending						
					ering po			
		<u>tities</u> c	an be registered	for the mete				

meterNumber gridOperatorName meteringGridArealdentifica- tion netSettlementGroup	String String String	filed se tering used to be reg meteri Meter the me Name Id of th	ettled metering points before ( o be profiled se istered for the ng point was p number identi etering point ha of the grid ope ne grid area to	g points wer 01-01-2021. ettled, profil metering po rofiled settl fying the ph as a physica erator. which the n	ysical meter. Only av	ettled me- ng point will still en the ailable if
		Possib Code	le values:		escription EN	1
		0	Description DK Ingen nettoafreg		lo Net Settlement	
		1	Nettoafregnings	-	let Settlement Group 1	
		2	Nettoafregnings		let Settlement Group 2	
		3	Nettoafregnings		let Settlement Group 3	
		4	Nettoafregnings		let Settlement Group 4	
		5	Nettoafregnings		let Settlement Group 5	
		6	Nettoafregnings		let Settlement Group 6	
		7	Nettoafregnings		let Settlement Group 7	
		99	Nettoafregnings		let Settlement Group 99	
physical Status Of MP	String	Physica	l al status of the	metering p	oint.	
. ,	0		le values:	01		
		Code	Description DK	D	escription EN	
		D03	Nyoprettet	N	lew	
		E22	Tilsluttet	C	onnected	
		E23	Afbrudt	D	visconnected	
consumerCategory	String	digit co	onsumer categ	ory for the e	ring points. Specifies electricity- olies to the metering	
powerLimitKW	String	Specifi	es the actual n	naximum lin	nit for power (in kW).	
powerLimitA	String	Specifi	es the actual n	naximum lin	nit for current (in amp	pere)
subTypeOfMP	String		es the sub type	e of the met	ering point.	
			le values:	<b>.</b>		
		Code	Description DK	Description E		
		D01	Fysisk	Physical	The metering point ha	
		D02 D03	Virtuel Beregnet	Virtual Calculated	The energy volume is by the grid operator. The energy volume is in DataHub.	
productionObligation	String	Specifi	es for a produc	ction meteri	ing point that a produ	iction ob-
		supplie ing poi	er or move-in/r nt.	nove-out ca	point and that no cha an be carried out for t	-
mpCapacity	String	Specifi	es the power i	n kW for the	e production facility.	

mpConnectionType	String	Specifie	s the conn	ection tyr	e of a me	etering point f	or which net
			ent is used				
			e values:	•			
		Code	Description	n DK	Descriptio	on EN	
		D01	Direkte tils	luttet	Direct cor	nnected	
		D02	Installation	stilsluttet	Installatio	n connected	
disconnectionType	String	Specifie	s how the i	metering	i point can	be disconnec	ted
	C		grid operato	-			
		Possible	e values:				
		Code	Description	n DK	Descriptio	on EN	
		D00	Til fremtidi	g brug	For future	e usage	
		D01	Fjernafbryd	delig	Remote d	isconnection	
		D02	Manuel afb	orydelig	Manual di	isconnection	
product	String	Product	Id.				
		Possible	e values:			•	
		Code		Descriptio	n DK	Description EN	
		Item579	0001330590	Tidstarif		Tariff	
		Item579	0001330606	Brændsels		Fuel quantity	
		ltem871	6867000016	Aktiv effekt		Active power	
		ltem8716867000		Reaktiv effekt		Reactive power	
		ltem8716867000030		Aktiv energi		Active energy	
		Item8716867000047		Reaktiv en	ergi	Rective energy	
consumerCVR	String			-		mer. Only avai	lable for me-
		• •	oints regist				
dataAccessCVR	String				-	ered consumer	
	Ctuin a			-		business cons	
consumerStartDate	String					s registered to ering points.	) the meter-
						fied in ISO 860	71
meterReadingOccurrence	String		s the mete		-		
meternedunigetetariente	501118	-	e values:	i i cuuing	resolutio		
		Code	Description I	DK De	scription EN		
		ANDET	Andet	Oth	ner		
		P1M	Måned	Mo	onthly		
		PT15M	Kvarter	15	Minutes		
		PT1H	Pr. time	Но	urly		
		If a met	ering point	has mete	er reading	g occurrence =	Other, only
		profiled	l energy qu	antities (o	consumpt	ion statement	ts) can be
		-	ed for the	-			
					-	g occurrence =	
					nergy qua	antities can be	registered
			metering p				
						g occurrence =	
		filed en	ergy quant	ities (cons	sumption	statements) a	is well as

		<ul> <li>non-profiled energy quantities can be registered for the meter- ing point depending on the settlement method (see further de- tails elsewhere in this table).</li> <li>See further details regarding profiled energy quantities versus non-profiled energy quantities in the section regarding settle- mentMethod elsewhere in this table.</li> </ul>				
mpReadingCharacteristics	String	Specifies how the metering point is read. Only applicable for profiled metering points.				
		Possible values:				
		Code Description DK Description EN				
		D01     Fjernaflæst     Automatic meter reading       D02     Manuelt aflæst     Manual meter reading				
meterCounterDigits	String	Number of digits on the counting mechanism of a meter. Only applicable for metering points with a physical meter.				
meterCounterMultiplyFac-	String	The conversion factor on the counting mechanism of the me-				
tor	0	ter. Only applicable for metering points with a physical meter.				
meterCounterUnit	String	Unit in which the counting mechanism of a meter meters the energy consumption. Only applicable for metering points with a physical meter.				
meterCounterType	String	Specifies whether the counter of a meter accumulates or bal- ances consumption. Only applicable for metering points with a physical meter. Possible values:				
		Code Description DK Description EN				
		D01 Akkumulerende Accumulated D02 Salderende Balanced				
balanceSupplierName	String	Name of the current balance supplier.				
balanceSupplierStartDate	String	Start date of the current balance supplier. The date is ex-				
balancesupplierstartbate	String	pressed in UTC as specified in ISO 8601.				
taxReduction	String	Specifies whether the consumer is entitled to a potential elec- tricity tax reduction due to electric heating.				
taxSettlementDate	String	The date specifies either the commencement or termination of an electricity tax reduction. The date is expressed in UTC as specified in ISO 8601.				
mpRelationType	String	Not used. No value is retuned. Will be removed in a later ver- sion of the API.				
streetCode	String	Street code – part of metering point location address.				
streetName	String	Street name – part of metering point location address.				
buildingNumber	String	Building number – part of metering point location address.				
floorId	String	Floor id – part of metering point location address.				
roomId	String	Room id – part of metering point location address.				
postcode	String	Postcode – part of metering point location address.				
cityName	String	City name – part of metering point location address.				
citySubDivisionName	String	City sub division name – part of metering point location ad- dress.				
municipalityCode	String	Municipality code – part of metering point location address.				
locationDescription	String	Comment related to the location or nature of the metering point. Will most often be a description regarding the location o the physical meter.				

firstConsumerPartyName	String	Name	of consumer 1				
secondConsumerPartyName	String		of consumer 2				
contactAddresses	0						
contactName1	String	Name	of contact person 1				
contactName2	String		of contact person 2				
addressCode	String		pecifying the type o		address.		
	0		e values:				
		Code	Description DK D	Description I	EN		
		D01	Teknisk adresse T	echnical ad	dress		
		D04	Juridisk adresse J	uridical add	ress		
streetName	String	Street	code – part of the s	specific co	ontact address.		
buildingNumber	String		name – part of the				
floorId	String		g number – part of			S.	
roomId	String		– part of the speci				
citySubDivisionName	String		d – part of the spec				
postcode	String		de – part of the spe				
cityName	String		me – part of the sp				
countryName	String	Countr	y name – part of th	e specific	contact address.		
contactPhoneNumber	String		t phone number.				
contactMobileNumber	String	Contact mobile number.					
contactEmailAddress	String	Contact e-mail address.					
contactType	String	Not use	ed. Null is retuned.	Will be re	emoved in a later v	version of	
		the API.					
protectedAddress	String	Specifie	es if the Address is	protected	1.		
attention	String	Specifies if there a person or a c/o address to attention.					
postBox	String	Specifies if there a postbox to attention.					
hasRelation	Boolean	Specifie	es whether a relatio	on already	y exists between tl	ne meter-	
		ing poi	nt and the user mal	king the r	equest.		
assetType	String	Energy	type.				
		Possibl	e values:				
		Code	Description DK		Description EN		
		D01	Dampturbine med	d mod-	Steam backpress	ure tur-	
		501	tryksdrift		bine		
		D02	, Gasturbine		Gas turbine		
		D03	Kombineret		Combined cycle		
		D04	Forbrændingsmot	tor Gas	, Internal combust	ion en-	
					gine Gas		
		D05	Dampturbine med	d kon-	Steam turbine co	ndensa-	
	1		dens/damp		tion/steam		
					i i i i i i i i i i i i i i i i i i i		
		D06	Kedel		Boiler		
		D06 D07	-		Boiler Stirling engine		
			Kedel	tede		nected	
		D07	Kedel Stirlingmotor		Stirling engine		
		D07	Kedel Stirlingmotor Permanent tilslutt		Stirling engine Permanently con		
		D07	Kedel Stirlingmotor Permanent tilslutt elektriske energila	ageran-	Stirling engine Permanently con electrical energy	storage	
		D07 D08	Kedel Stirlingmotor Permanent tilslutt elektriske energila læg	ageran- tede el-	Stirling engine Permanently con electrical energy facilities	storage nected	
		D07 D08	Kedel Stirlingmotor Permanent tilslutt elektriske energila læg Temporært tilslut	ageran- tede el-	Stirling engine Permanently con electrical energy facilities Temporarily conr	storage nected	

		EIC: The	e Energy Identifica <sup>.</sup>	tion Codin	ng Link	
			e values: lobal Location Num	nber <u>Link</u>		
balanceSupplierId_Scheme- AgencyIdentifier	String		es which Agency th th. (This is not ava			r is associ-
		API)			p	
balanceSupplierId	String		e Balance supplier.	. (This is n	ot available in Thii	rd party
		D02		Not washa		
		D01	Vaskbar V	Washable		
		Code		Description E	N	
mpAddressWashInstructions	String	Specifie	es if the address ca s register. (This is n			
protectedName	String	Specifie party A	es if the name is pr PI)	otected. (	This is not availab	le in Third
darReference	String	Specifie	es the reference id	to the pu	blic Danish Addres	ss Register.
		GLN: G	e values: lobal Location Num e Energy Identifica		ıg <u>Link</u>	
gencyldentifier	SUIIR	ated wi		e palance	supplier luentille	15 assuct-
gridOperatorId gridOperatorId_SchemeA-	String String		e Grid Operator. es which Agency th	e Balanco	supplier Identifier	r is associ
occurrence	String		the data request.			
		D99	Ukendt teknologi		Unknown techno	logy
		D20	Bioforbrændingsr		Biocombustion e	-
			Dieselmotor		gine diesel engin	
		D19	Forbrændingsmo	tor	Internal combust	ion en-
			sanlæg	5	cility	
		D18	Regenerative fork	orug-	Regenerative der	nand fa-
		D17	Power-to-X	,crunac <sub>b</sub>	Power-to-X	lentics
		DIO	ektriske energilag		energy storage fa	
		D15	Produktion med e		Production with e	
		D14 D15	Bølgekraft Blandet produktio	20	Wave power Mixed production	
		D13	Vandkraft		Hydropower	
		D12	Vindmøller		Wind turbines	
		D11	Solceller		Photovoltaics	

#### 2.3 Charge data

Below is a list of data that can be retrieved when performing a *Get charges* request.

Fi	eld name	Data type	Description		
meteringPointId String		String	Unique metering point id consisting of 18 characters.		
SL	ubscriptions				
	name	String	Short subscription name.		
	description	String	Subscription description.		

owner	String	Specifies a GLN (Global Location Number) representing the owner of
		the subscription (grid operator).
validFromDate	String	Date from when the subscription was linked to the metering point.
		If the subscription was linked to the metering point in the past, valid-
		FromDate will be equal to Today.
		The date is expressed in UTC as specified in ISO 8601.
validToDate	String	Date until when the subscription is linked to the metering point. Is null,
		if no end date is set.
		The date is expressed in UTC as specified in ISO 8601.
price	Number	The value representing the price of the subscription.
quantity	Number	The number of times the subscription has been linked to the metering
		point.
periodType	String	Resolution of charge. Possible values are:
		• PT15M (Quarer-hourly)
		• PT1H (Hourly)
		• P1M (Monthly)
		• ANDET (Other)

fees

name	String	Short fee name.					
description	String	Fee description.					
owner	String	Specifies a GLN (Global Location Number) representing the owner of					
		the fee (grid operator).					
validFromDate	String	Date from when the fee was linked to the metering point. Can only be					
		Today, since only fees that are valid today are returned.					
		The date is expressed in UTC as specified in ISO 8601.					
validToDate	String	Will always be null. A fee can only refer to a specific day (the valid-					
		FromDate) and never has a validToDate.					
price	Number	The value representing the price of the fee.					
quantity	Number	The number of times the fee has been linked to the metering point.					
periodType	String	Resolution of charge. Possible values are:					
		• PT15M (Quarer-hourly)					
		• PT1H (Hourly)					
		• P1M (Monthly)					
		• ANDET (Other)					

tariffs

Larins						
name	String	Short tariff name.				
description	String	Tariff description.				
owner	String	Specifies a GLN (Global Location Number) representing the owner of				
		the tariff (grid operator or system operator).				
periodType	String	Type of period for which the tariff applies.				
		Possible values: Day or Hour				
validFromDate	String	Date from when the tariff is linked to the metering point. If the tariff				
		was linked to the metering point in the past. validFromDate will be				
		equal to Today.				
		The date is expressed in UTC as specified in ISO 8601.				
validToDate	String	Date until when the tariff is linked to the metering point. Is null, if no				
		end date is set.				
		The date is expressed in UTC as specified in ISO 8601.				
periodType	String	Resolution of charge. Possible values are:				

			<ul> <li>PT15M (Quarer-hourly)</li> <li>PT1H (Hourly)</li> <li>P1M (Monthly)</li> <li>ANDET (Other)</li> </ul>
pri	ces position	Number	Possible values: 1-24 If the periodType is <i>Day</i> , then 1 position is returned. If the periodType
	price	String	is <i>Hour</i> , then 24 positions are returned. The value representing the price for the specific position.

#### 2.4 Meter reading data

Below is a list of data that can be retrieved when performing a *Get meter readings* request. Please note: Submission of meter readings to DataHub is no longer mandatory since end of 2021. Therefore, data may not be available for all metering points

Field name	Data type Description						
meteringPointId	String	Unique metering point id consisting of 18 characters.					
readings		·					
readingDate	String	Date when the reading was performed. The date is expressed in					
		UTC as specified in ISO 8601.					
registrationDate	String	Date and time when the reading was registered in DataHub. Th					
		date/ti	me is expresse	d in UTC as specified in ISO 8601.			
meterNumber	String	Meter	number identi	fying the physical meter.			
meterReading	String	The ac	tual value of th	ne reading.			
meaurementUnit	String	The me	easurement un	it of the reading.			
		Possible values:					
		Code	Description DK	Description EN			
		AMP	Ampere	Ampere			
		H87	Antal styk	STK			
		К3	kVArh	kVArh (KiloVolt-Ampere reactive hour)			
		KWH	KWH kWh kWh (Kilowatt-hour)				
		KWT	kW	kW (Kilowatt)			
		MAW	MW	MW (Megawatt)			
		MWH	MWh	MWh (Megawatt-hour)			
			Tons	Tonne (metric ton)			
			MVAr	MVAr (MegaVolt-Ampere reactive power)			
		Z14	KT (tarif kode)	Danish Tariff Code			

#### 2.5 Time series data

Below is a list of data that can be retrieved when performing a *Get time series* request.

Fi	eld name	Data type	Description
MyEnergyData_MarketDocument			
	mRID String		Identification of the market document. If several Mar-
			ketDocument structures are contained in the same
			message, then all of them will have the same id.

		1	PT15M	Kvarter	Quarter of an				
			Code	Description DK	Description EN	Comment			
				e values:	-	1			
L	resolution	String	Specifie	s the resoluti	on that the sp	ecific perio	d cover		
Ρ	reriod								
	name	String	by GS1. Unique		nt id consistin	g of 18 char	acters		
		Global Service Relation Number (GSRN 18) maintained							
					hat the coding				
				Fixed value = A10					
			point m	point mRID.					
L	codingScheme	String	The coo	ling scheme u	used for the m	arket evalua	ation		
	mRID								
	/arketEvaluationPoint	0				. <u>.</u>			
m	neasurement_Unit.name	String			that is applied		tv.		
					on of the perio		UN3 13		
					where the siz				
					vs be A01, spece Intervals of t	, .			
C	urveType	String			ation of the ty				
	········	Chu:	A64	Forbrug (skabe					
			A04	0	Consumpti	ion ion (profiled)			
			A01	Forbrug					
				Description DK Produktion	Description Production				
1			Possible Code	e values:	Description	- EN	1		
b	usinessType	String			e nature of the	e time series	5.		
	nRID	String			nt id consistin	-			
r –	eries					( + - ·			
			in UTC a	as specified ir	n ISO 8601.				
					document. Th	e date is exp	oressed		
e	nd	String			time interval				
				as specified ir					
				_	document. Th	e date is exp	oressec		
st	tart	String			al time interva				
iod.	.timeInterval								
			Fixed value = 5790001330583						
n	ame	String	GLN (G	obal Locatior	Number) of [	DataHub.			
					iber (GLN 13) i				
			This co	de specifies th	nat the coding	scheme use	ed is th		
	Ũ	C C		Fixed value = A10					
	odingScheme	String	The coo	ling scheme u	used for the se	nder mRID.			
end	der_MarketParticipant.mRID			0					
CIIC		50,115		Fixed value = Energinet					
enr	der_MarketParticipant.name	String	Sender		•				
				d in ISO 8601		xpresseu in	UTC as		
	atedDateTime	String The date and time of the creation of the docu- ment/message. The date/time is expressed in U							

		PT1H	Time	Hour			
		P1D	Dag	Day			
		P1M	Måned	Month			
		P1Y	År	Year			
		PXD	X dage	X days	X is a variable. This resolution is only applicable to profiled energy quantities which can cover peri- ods of various lengths. Therefore, the period resolution is reported		
					in days.		
timeInterval							
start	String	Start da	ate of period	d. The date is	is expressed in UTC as		
		specifie	d in ISO 860	01.			
end	String	End date of period. The date is expressed in UTC as					
		specifie					
Point	•	•					
position	String	Possible values: 1-96					
out_Quantity.quantity	out_Quantity.quantity String		The quantity value associated with a given point, with a				
			maximum 3 decimals				
out_Quantity.quality	String	The quality of the quantity associated with a given					
		point.					
		Possible values:					

		maximum 3 decimals							
out_Quantity.quality	String	The quality of the quantity associated with a given							
	-	point.							
		' Possible values:							
		Code	Description	Description	Comment				
		4.01	DK	EN					
		A01	Korrigeret	Adjusted	Will no longer be used after				
					February 2020. Until then it				
					specifies energy quantities				
					which are calculated by Dat-				
					aHub.				
		A02	Mangler	Not availa-	Specifies that the grid oper-				
				ble	ator has submitted a "miss-				
					ing indicator" to DataHub				
					for the specific position,				
					meaning that the energy				
					quantity is not available.				
					Therefore, no quantity will				
					be returned for the specific				
					position.				
		A03	Estimeret	Estimated	Specifies that the grid oper-				
					ator has submitted the				
					quantity to DataHub as an				
					estimate.				
		A04	Målt	As provided	Specifies that the grid oper-				
					ator has submitted the				
					quantity to DataHub as				
					measured.				
		A05	Ufuldstæn-	Incomplete	Is applied to an aggregated				
			dig		energy quantity if at least				
					one of the quantities in-				
					cluded in the aggregation				
					has been submitted to Data-				
					Hub with a "missing indica-				
					tor", meaning that the				

		quantity is not available (as
		described under code A02).