



Energinet DataHub A/S
Tonne Kjærvej 65
DK-7000 Fredericia

+45 70 10 22 44
info@energinet.dk
VAT no. 39 31 50 41

Date:
June 24, 2024

Author:
DHK/JLI

CUSTOMER AND THIRD PARTY API FOR DATAHUB (ELOVERBLIK) - DATA DESCRIPTION

Document history

Version	Date	Description	Author(s)
1.0	22-11-2019	Initial version	Janine Lindberg
1.1	24-11-2021	In section 2.2: <ul style="list-style-type: none"> - Comment added regarding profiled settled metering points - Missing values added for disconnectionType - Obsolete address codes removed In section 2.3: <ul style="list-style-type: none"> - Description of validFromDate updated 	Janine Lindberg
1.2	21-03-2022	Information regarding date and time formats has been added in several sections.	Janine Lindberg
1.3	30-11-2022	In section 2.3: Removed fields SubscriptionId, Feeld and TariffId from GetCharges results, as we are unable to provide the data for them. Added field PeriodType to Subscription, Fee and Tariff results.	Anders Blirup Worm
1.4	06-01-2023	In section 2.5: Changed description for out_Quantity.quantity	Darlow Kiruparajan
1.5	31-10-2023	In Section 2.4 added information about meter readings no longer being mandatory.	Peter Gydesen
1.6	15-02-2024	In section 2.2: Added new Fields and corrected ProductId codes to match the API response.	Aksel Jensen
1.7	24-06-2024	In section 2.2: Removed "(This is not available in Third party API)" in description for mpAddressWashInstructions.	Aksel Jensen

Table of contents

1. Introduction.....	4
2. Data description	4
2.1 Authorization master data.....	4
2.2 Metering point master data.....	4
2.3 Charge data.....	10
2.4 Meter reading data.....	12
2.5 Time series data.....	12

1. Introduction

This document provides information about the data available in the Customer and Third Party API for DataHub (Eloverblik). Each section describes one or more methods/endpoints and the related output data, including field name, data type and a description.

2. Data description

2.1 Authorization master data

Below is a list of data that can be retrieved when performing a *Get authorizations* request.

Field name	Data type	Description
id	String	Unique authorization id.
thirdPartyName	String	Name of the third party.
validFrom	String	The date from when the authorization is valid. The date is expressed in UTC as specified in ISO 8601.
validTo	String	The date until when the authorization is valid. The date is expressed in UTC as specified in ISO 8601.
customerName	String	Name of the customer extracted from the customer's NemID certificate.
customerCVR	String	CVR number of the customer.
customerKey	String	Optional key that was applied to the authorization when it was requested from the customer. Can be used to identify the customer.
includeFutureMetering-Points	Boolean	Specifies whether the customer has accepted that future metering points that will be registered to his CVR will automatically be included in the authorization. If the customer has granted several authorizations with different includeFutureMetering-Points values, then the value of most recent active authorization takes precedence.
timeStamp	String	Date and time when the authorization was registered. The date/time is expressed in UTC as specified in ISO 8601.

2.2 Metering point master data

Below is a list of data that can be retrieved when performing a *Get metering points* or a *Get metering point details* request. The actual data returned depends on the type of request and the type of user (customer or third party).

Field name	Data type	Description															
meteringPointId	String	Unique metering point id consisting of 18 characters.															
parentMeteringPointId	String	The id of the related parent metering point. Only applicable for child metering points.															
typeOfMP	String	Specifies the type of metering point. Possible values: <table border="1" data-bbox="644 1883 1334 2083"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>D01</td> <td>VE-produktion</td> <td>VE Production</td> </tr> <tr> <td>D02</td> <td>Analysemålepunkt</td> <td>Analysis</td> </tr> <tr> <td>D04</td> <td>Overskudsproduktion gruppe 6</td> <td>Surplus production group 6</td> </tr> <tr> <td>D05</td> <td>Nettoproduktion</td> <td>Net production</td> </tr> </tbody> </table>	Code	Description DK	Description EN	D01	VE-produktion	VE Production	D02	Analysemålepunkt	Analysis	D04	Overskudsproduktion gruppe 6	Surplus production group 6	D05	Nettoproduktion	Net production
Code	Description DK	Description EN															
D01	VE-produktion	VE Production															
D02	Analysemålepunkt	Analysis															
D04	Overskudsproduktion gruppe 6	Surplus production group 6															
D05	Nettoproduktion	Net production															

		<table border="1"> <tr><td>D06</td><td>Leveret til net</td><td>Supply to grid</td></tr> <tr><td>D07</td><td>Forbrugt fra net</td><td>Consumption from grid</td></tr> <tr><td>D08</td><td>Afregningsgrundlag/ Information</td><td>Wholesale services / information</td></tr> <tr><td>D09</td><td>Egenproduktion</td><td>Own production</td></tr> <tr><td>D10</td><td>Netto fra net</td><td>Net from grid</td></tr> <tr><td>D11</td><td>Netto til net</td><td>Net to grid</td></tr> <tr><td>D12</td><td>Brutto forbrug</td><td>Total consumption</td></tr> <tr><td>D14</td><td>Elvarme</td><td>Electrical heating</td></tr> <tr><td>D15</td><td>Netto forbrug</td><td>Net consumption</td></tr> <tr><td>D17</td><td>Øvrigt forbrug</td><td>Other consumption</td></tr> <tr><td>D18</td><td>Øvrigt produktion</td><td>Other production</td></tr> <tr><td>D99</td><td>Intern brug</td><td>Internal use</td></tr> <tr><td>E17</td><td>Forbrugsmålepunkt</td><td>Consumption</td></tr> <tr><td>E18</td><td>Produktionsmålepunkt</td><td>Production</td></tr> </table>	D06	Leveret til net	Supply to grid	D07	Forbrugt fra net	Consumption from grid	D08	Afregningsgrundlag/ Information	Wholesale services / information	D09	Egenproduktion	Own production	D10	Netto fra net	Net from grid	D11	Netto til net	Net to grid	D12	Brutto forbrug	Total consumption	D14	Elvarme	Electrical heating	D15	Netto forbrug	Net consumption	D17	Øvrigt forbrug	Other consumption	D18	Øvrigt produktion	Other production	D99	Intern brug	Internal use	E17	Forbrugsmålepunkt	Consumption	E18	Produktionsmålepunkt	Production
D06	Leveret til net	Supply to grid																																										
D07	Forbrugt fra net	Consumption from grid																																										
D08	Afregningsgrundlag/ Information	Wholesale services / information																																										
D09	Egenproduktion	Own production																																										
D10	Netto fra net	Net from grid																																										
D11	Netto til net	Net to grid																																										
D12	Brutto forbrug	Total consumption																																										
D14	Elvarme	Electrical heating																																										
D15	Netto forbrug	Net consumption																																										
D17	Øvrigt forbrug	Other consumption																																										
D18	Øvrigt produktion	Other production																																										
D99	Intern brug	Internal use																																										
E17	Forbrugsmålepunkt	Consumption																																										
E18	Produktionsmålepunkt	Production																																										
energyTimeSeriesMeasure-Unit		<p>Specifies the energy measurement unit relevant for the metering point.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr><td>AMP</td><td>Ampere</td><td>Ampere</td></tr> <tr><td>H87</td><td>Antal styk</td><td>STK</td></tr> <tr><td>K3</td><td>kVArh</td><td>kVArh (KiloVolt-Ampere reactive hour)</td></tr> <tr><td>KWH</td><td>kWh</td><td>kWh (Kilowatt-hour)</td></tr> <tr><td>KWT</td><td>kW</td><td>kW (Kilowatt)</td></tr> <tr><td>MAW</td><td>MW</td><td>MW (Megawatt)</td></tr> <tr><td>MWH</td><td>MWh</td><td>MWh (Megawatt-hour)</td></tr> <tr><td>TNE</td><td>Tons</td><td>Tonne (metric ton)</td></tr> <tr><td>Z03</td><td>MVAr</td><td>MVAr (MegaVolt-Ampere reactive power)</td></tr> <tr><td>Z14</td><td>KT (tarif kode)</td><td>Danish Tariff Code</td></tr> </tbody> </table>	Code	Description DK	Description EN	AMP	Ampere	Ampere	H87	Antal styk	STK	K3	kVArh	kVArh (KiloVolt-Ampere reactive hour)	KWH	kWh	kWh (Kilowatt-hour)	KWT	kW	kW (Kilowatt)	MAW	MW	MW (Megawatt)	MWH	MWh	MWh (Megawatt-hour)	TNE	Tons	Tonne (metric ton)	Z03	MVAr	MVAr (MegaVolt-Ampere reactive power)	Z14	KT (tarif kode)	Danish Tariff Code									
Code	Description DK	Description EN																																										
AMP	Ampere	Ampere																																										
H87	Antal styk	STK																																										
K3	kVArh	kVArh (KiloVolt-Ampere reactive hour)																																										
KWH	kWh	kWh (Kilowatt-hour)																																										
KWT	kW	kW (Kilowatt)																																										
MAW	MW	MW (Megawatt)																																										
MWH	MWh	MWh (Megawatt-hour)																																										
TNE	Tons	Tonne (metric ton)																																										
Z03	MVAr	MVAr (MegaVolt-Ampere reactive power)																																										
Z14	KT (tarif kode)	Danish Tariff Code																																										
estimatedAnnualVolume	String	<p>Estimated annual consumption/production of the metering point. Only required for profiled settled metering points. May exist for metering points with other settlement methods, but is not necessarily maintained and should therefore not be used.</p>																																										
settlementMethod	String	<p>Settlement method of the metering point.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr><td>D01</td><td>Flexafregnet</td><td>Flex settled</td></tr> <tr><td>E01</td><td>Skabelonafregnet</td><td>Profiled settled</td></tr> <tr><td>E02</td><td>Timeafregnet</td><td>Non-profiled settled</td></tr> </tbody> </table> <p>If a metering point is flex settled or non-profiled settled or has no settlement method, only <u>non-profiled energy quantities</u> are registered for the metering point.</p> <p>If a metering point is profiled settled, <u>profiled energy quantities</u> (consumption statements) as well as <u>non-profiled energy quantities</u> can be registered for the metering point depending on the meter reading occurrence (see further details in the section regarding meterReadingOccurrence elsewhere in this table).</p>	Code	Description DK	Description EN	D01	Flexafregnet	Flex settled	E01	Skabelonafregnet	Profiled settled	E02	Timeafregnet	Non-profiled settled																														
Code	Description DK	Description EN																																										
D01	Flexafregnet	Flex settled																																										
E01	Skabelonafregnet	Profiled settled																																										
E02	Timeafregnet	Non-profiled settled																																										

		<p>Profiled settled metering points no longer exist, since all profiled settled metering points were converted to flex settled metering points before 01-01-2021. However, if a metering point used to be profiled settled, profiled energy quantities will still be registered for the metering point in the period when the metering point was profiled settled.</p>																														
meterNumber	String	Meter number identifying the physical meter. Only available if the metering point has a physical meter.																														
gridOperatorName	String	Name of the grid operator.																														
meteringGridAreaIdentification	String	Id of the grid area to which the metering point belongs.																														
netSettlementGroup		<p>Net settlement group to which the metering point belongs.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Ingen nettoafregning</td> <td>No Net Settlement</td> </tr> <tr> <td>1</td> <td>Nettoafregningsgruppe 1</td> <td>Net Settlement Group 1</td> </tr> <tr> <td>2</td> <td>Nettoafregningsgruppe 2</td> <td>Net Settlement Group 2</td> </tr> <tr> <td>3</td> <td>Nettoafregningsgruppe 3</td> <td>Net Settlement Group 3</td> </tr> <tr> <td>4</td> <td>Nettoafregningsgruppe 4</td> <td>Net Settlement Group 4</td> </tr> <tr> <td>5</td> <td>Nettoafregningsgruppe 5</td> <td>Net Settlement Group 5</td> </tr> <tr> <td>6</td> <td>Nettoafregningsgruppe 6</td> <td>Net Settlement Group 6</td> </tr> <tr> <td>7</td> <td>Nettoafregningsgruppe 7</td> <td>Net Settlement Group 7</td> </tr> <tr> <td>99</td> <td>Nettoafregningsgruppe 99</td> <td>Net Settlement Group 99</td> </tr> </tbody> </table>	Code	Description DK	Description EN	0	Ingen nettoafregning	No Net Settlement	1	Nettoafregningsgruppe 1	Net Settlement Group 1	2	Nettoafregningsgruppe 2	Net Settlement Group 2	3	Nettoafregningsgruppe 3	Net Settlement Group 3	4	Nettoafregningsgruppe 4	Net Settlement Group 4	5	Nettoafregningsgruppe 5	Net Settlement Group 5	6	Nettoafregningsgruppe 6	Net Settlement Group 6	7	Nettoafregningsgruppe 7	Net Settlement Group 7	99	Nettoafregningsgruppe 99	Net Settlement Group 99
Code	Description DK	Description EN																														
0	Ingen nettoafregning	No Net Settlement																														
1	Nettoafregningsgruppe 1	Net Settlement Group 1																														
2	Nettoafregningsgruppe 2	Net Settlement Group 2																														
3	Nettoafregningsgruppe 3	Net Settlement Group 3																														
4	Nettoafregningsgruppe 4	Net Settlement Group 4																														
5	Nettoafregningsgruppe 5	Net Settlement Group 5																														
6	Nettoafregningsgruppe 6	Net Settlement Group 6																														
7	Nettoafregningsgruppe 7	Net Settlement Group 7																														
99	Nettoafregningsgruppe 99	Net Settlement Group 99																														
physicalStatusOfMP	String	<p>Physical status of the metering point.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>D03</td> <td>Nyoprettet</td> <td>New</td> </tr> <tr> <td>E22</td> <td>Tilsluttet</td> <td>Connected</td> </tr> <tr> <td>E23</td> <td>Afbrudt</td> <td>Disconnected</td> </tr> </tbody> </table>	Code	Description DK	Description EN	D03	Nyoprettet	New	E22	Tilsluttet	Connected	E23	Afbrudt	Disconnected																		
Code	Description DK	Description EN																														
D03	Nyoprettet	New																														
E22	Tilsluttet	Connected																														
E23	Afbrudt	Disconnected																														
consumerCategory	String	Applies to all consumption metering points. Specifies the three-digit consumer category for the electricity-consumption category which applies to the metering point.																														
powerLimitKW	String	Specifies the actual maximum limit for power (in kW).																														
powerLimitA	String	Specifies the actual maximum limit for current (in ampere)																														
subTypeOfMP	String	<p>Specifies the sub type of the metering point.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> <th>Comment</th> </tr> </thead> <tbody> <tr> <td>D01</td> <td>Fysisk</td> <td>Physical</td> <td>The metering point has a physical meter.</td> </tr> <tr> <td>D02</td> <td>Virtuel</td> <td>Virtual</td> <td>The energy volume is calculated by the grid operator.</td> </tr> <tr> <td>D03</td> <td>Beregnet</td> <td>Calculated</td> <td>The energy volume is calculated in DataHub.</td> </tr> </tbody> </table>	Code	Description DK	Description EN	Comment	D01	Fysisk	Physical	The metering point has a physical meter.	D02	Virtuel	Virtual	The energy volume is calculated by the grid operator.	D03	Beregnet	Calculated	The energy volume is calculated in DataHub.														
Code	Description DK	Description EN	Comment																													
D01	Fysisk	Physical	The metering point has a physical meter.																													
D02	Virtuel	Virtual	The energy volume is calculated by the grid operator.																													
D03	Beregnet	Calculated	The energy volume is calculated in DataHub.																													
productionObligation	String	Specifies for a production metering point that a production obligation applies to the metering point and that no change of supplier or move-in/move-out can be carried out for the metering point.																														
mpCapacity	String	Specifies the power in kW for the production facility.																														

mpConnectionType	String	<p>Specifies the connection type of a metering point for which net settlement is used.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>D01</td> <td>Direkte tilsluttet</td> <td>Direct connected</td> </tr> <tr> <td>D02</td> <td>Installationstilsluttet</td> <td>Installation connected</td> </tr> </tbody> </table>	Code	Description DK	Description EN	D01	Direkte tilsluttet	Direct connected	D02	Installationstilsluttet	Installation connected												
Code	Description DK	Description EN																					
D01	Direkte tilsluttet	Direct connected																					
D02	Installationstilsluttet	Installation connected																					
disconnectionType	String	<p>Specifies how the metering point can be disconnected by the grid operator.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>D00</td> <td>Til fremtidig brug</td> <td>For future usage</td> </tr> <tr> <td>D01</td> <td>Fjernafbrydelig</td> <td>Remote disconnection</td> </tr> <tr> <td>D02</td> <td>Manuel afbrydelig</td> <td>Manual disconnection</td> </tr> </tbody> </table>	Code	Description DK	Description EN	D00	Til fremtidig brug	For future usage	D01	Fjernafbrydelig	Remote disconnection	D02	Manuel afbrydelig	Manual disconnection									
Code	Description DK	Description EN																					
D00	Til fremtidig brug	For future usage																					
D01	Fjernafbrydelig	Remote disconnection																					
D02	Manuel afbrydelig	Manual disconnection																					
product	String	<p>Product Id.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>Item5790001330590</td> <td>Tidstarif</td> <td>Tariff</td> </tr> <tr> <td>Item5790001330606</td> <td>Brændselsmængde</td> <td>Fuel quantity</td> </tr> <tr> <td>Item8716867000016</td> <td>Aktiv effekt</td> <td>Active power</td> </tr> <tr> <td>Item8716867000023</td> <td>Reaktiv effekt</td> <td>Reactive power</td> </tr> <tr> <td>Item8716867000030</td> <td>Aktiv energi</td> <td>Active energy</td> </tr> <tr> <td>Item8716867000047</td> <td>Reaktiv energi</td> <td>Reactive energy</td> </tr> </tbody> </table>	Code	Description DK	Description EN	Item5790001330590	Tidstarif	Tariff	Item5790001330606	Brændselsmængde	Fuel quantity	Item8716867000016	Aktiv effekt	Active power	Item8716867000023	Reaktiv effekt	Reactive power	Item8716867000030	Aktiv energi	Active energy	Item8716867000047	Reaktiv energi	Reactive energy
Code	Description DK	Description EN																					
Item5790001330590	Tidstarif	Tariff																					
Item5790001330606	Brændselsmængde	Fuel quantity																					
Item8716867000016	Aktiv effekt	Active power																					
Item8716867000023	Reaktiv effekt	Reactive power																					
Item8716867000030	Aktiv energi	Active energy																					
Item8716867000047	Reaktiv energi	Reactive energy																					
consumerCVR	String	CVR number of the registered consumer. Only available for metering points registered to business consumers.																					
dataAccessCVR	String	Additional CVR number of the registered consumer. Only available for metering points registered to business consumers.																					
consumerStartDate	String	<p>Date when the current consumer was registered to the metering point. Not available for child metering points.</p> <p>The date is expressed in UTC as specified in ISO 8601.</p>																					
meterReadingOccurrence	String	<p>Specifies the meter reading resolution.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>ANDET</td> <td>Andet</td> <td>Other</td> </tr> <tr> <td>P1M</td> <td>Måned</td> <td>Monthly</td> </tr> <tr> <td>PT15M</td> <td>Kvarter</td> <td>15 Minutes</td> </tr> <tr> <td>PT1H</td> <td>Pr. time</td> <td>Hourly</td> </tr> </tbody> </table> <p>If a metering point has meter reading occurrence = Other, only profiled energy quantities (consumption statements) can be registered for the metering point.</p> <p>If a metering point has meter reading occurrence = P1M or PT15M, only non-profiled energy quantities can be registered for the metering point.</p> <p>If a metering point has meter reading occurrence = PT1H, profiled energy quantities (consumption statements) as well as</p>	Code	Description DK	Description EN	ANDET	Andet	Other	P1M	Måned	Monthly	PT15M	Kvarter	15 Minutes	PT1H	Pr. time	Hourly						
Code	Description DK	Description EN																					
ANDET	Andet	Other																					
P1M	Måned	Monthly																					
PT15M	Kvarter	15 Minutes																					
PT1H	Pr. time	Hourly																					

		<p>non-profiled energy quantities can be registered for the metering point depending on the settlement method (see further details elsewhere in this table).</p> <p>See further details regarding profiled energy quantities versus non-profiled energy quantities in the section regarding settlementMethod elsewhere in this table.</p>									
mpReadingCharacteristics	String	<p>Specifies how the metering point is read. Only applicable for profiled metering points.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>D01</td> <td>Fjernaflæst</td> <td>Automatic meter reading</td> </tr> <tr> <td>D02</td> <td>Manuelt aflæst</td> <td>Manual meter reading</td> </tr> </tbody> </table>	Code	Description DK	Description EN	D01	Fjernaflæst	Automatic meter reading	D02	Manuelt aflæst	Manual meter reading
Code	Description DK	Description EN									
D01	Fjernaflæst	Automatic meter reading									
D02	Manuelt aflæst	Manual meter reading									
meterCounterDigits	String	Number of digits on the counting mechanism of a meter. Only applicable for metering points with a physical meter.									
meterCounterMultiplyFactor	String	The conversion factor on the counting mechanism of the meter. Only applicable for metering points with a physical meter.									
meterCounterUnit	String	Unit in which the counting mechanism of a meter meters the energy consumption. Only applicable for metering points with a physical meter.									
meterCounterType	String	<p>Specifies whether the counter of a meter accumulates or balances consumption. Only applicable for metering points with a physical meter.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>D01</td> <td>Akkumulerende</td> <td>Accumulated</td> </tr> <tr> <td>D02</td> <td>Salderende</td> <td>Balanced</td> </tr> </tbody> </table>	Code	Description DK	Description EN	D01	Akkumulerende	Accumulated	D02	Salderende	Balanced
Code	Description DK	Description EN									
D01	Akkumulerende	Accumulated									
D02	Salderende	Balanced									
balanceSupplierName	String	Name of the current balance supplier.									
balanceSupplierStartDate	String	Start date of the current balance supplier. The date is expressed in UTC as specified in ISO 8601.									
taxReduction	String	Specifies whether the consumer is entitled to a potential electricity tax reduction due to electric heating.									
taxSettlementDate	String	The date specifies either the commencement or termination of an electricity tax reduction. The date is expressed in UTC as specified in ISO 8601.									
mpRelationType	String	Not used. No value is returned. Will be removed in a later version of the API.									
streetCode	String	Street code – part of metering point location address.									
streetName	String	Street name – part of metering point location address.									
buildingNumber	String	Building number – part of metering point location address.									
floorId	String	Floor id – part of metering point location address.									
roomId	String	Room id – part of metering point location address.									
postcode	String	Postcode – part of metering point location address.									
cityName	String	City name – part of metering point location address.									
citySubDivisionName	String	City sub division name – part of metering point location address.									
municipalityCode	String	Municipality code – part of metering point location address.									
locationDescription	String	Comment related to the location or nature of the metering point. Will most often be a description regarding the location of the physical meter.									

firstConsumerPartyName	String	Name of consumer 1																																	
secondConsumerPartyName	String	Name of consumer 2																																	
contactAddresses																																			
contactName1	String	Name of contact person 1																																	
contactName2	String	Name of contact person 2																																	
addressCode	String	Code specifying the type of contact address. Possible values: <table border="1" data-bbox="646 450 1214 573"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>D01</td> <td>Teknisk adresse</td> <td>Technical address</td> </tr> <tr> <td>D04</td> <td>Juridisk adresse</td> <td>Juridical address</td> </tr> </tbody> </table>	Code	Description DK	Description EN	D01	Teknisk adresse	Technical address	D04	Juridisk adresse	Juridical address																								
Code	Description DK	Description EN																																	
D01	Teknisk adresse	Technical address																																	
D04	Juridisk adresse	Juridical address																																	
streetName	String	Street code – part of the specific contact address.																																	
buildingNumber	String	Street name – part of the specific contact address.																																	
floorId	String	Building number – part of the specific contact address.																																	
roomId	String	Floor id – part of the specific contact address.																																	
citySubDivisionName	String	Room id – part of the specific contact address.																																	
postcode	String	Postcode – part of the specific contact address.																																	
cityName	String	City name – part of the specific contact address.																																	
countryName	String	Country name – part of the specific contact address.																																	
contactPhoneNumber	String	Contact phone number.																																	
contactMobileNumber	String	Contact mobile number.																																	
contactEmailAddress	String	Contact e-mail address.																																	
contactType	String	Not used. Null is returned. Will be removed in a later version of the API.																																	
protectedAddress	String	Specifies if the Address is protected.																																	
attention	String	Specifies if there a person or a c/o address to attention.																																	
postBox	String	Specifies if there a postbox to attention.																																	
hasRelation	Boolean	Specifies whether a relation already exists between the metering point and the user making the request.																																	
assetType	String	Energy type. Possible values: <table border="1" data-bbox="646 1397 1329 2112"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>D01</td> <td>Dampturbine med modtryksdrift</td> <td>Steam backpressure turbine</td> </tr> <tr> <td>D02</td> <td>Gasturbine</td> <td>Gas turbine</td> </tr> <tr> <td>D03</td> <td>Kombineret</td> <td>Combined cycle</td> </tr> <tr> <td>D04</td> <td>Forbrændingsmotor Gas</td> <td>Internal combustion engine Gas</td> </tr> <tr> <td>D05</td> <td>Dampturbine med kondens/damp</td> <td>Steam turbine condensation/steam</td> </tr> <tr> <td>D06</td> <td>Kedel</td> <td>Boiler</td> </tr> <tr> <td>D07</td> <td>Stirlingmotor</td> <td>Stirling engine</td> </tr> <tr> <td>D08</td> <td>Permanent tilsluttede elektriske energilageranlæg</td> <td>Permanently connected electrical energy storage facilities</td> </tr> <tr> <td>D09</td> <td>Temporært tilsluttede elektriske energilageranlæg</td> <td>Temporarily connected electrical energy storage facilities</td> </tr> <tr> <td>D10</td> <td>Brændselsceller</td> <td>Fuel cells</td> </tr> </tbody> </table>	Code	Description DK	Description EN	D01	Dampturbine med modtryksdrift	Steam backpressure turbine	D02	Gasturbine	Gas turbine	D03	Kombineret	Combined cycle	D04	Forbrændingsmotor Gas	Internal combustion engine Gas	D05	Dampturbine med kondens/damp	Steam turbine condensation/steam	D06	Kedel	Boiler	D07	Stirlingmotor	Stirling engine	D08	Permanent tilsluttede elektriske energilageranlæg	Permanently connected electrical energy storage facilities	D09	Temporært tilsluttede elektriske energilageranlæg	Temporarily connected electrical energy storage facilities	D10	Brændselsceller	Fuel cells
Code	Description DK	Description EN																																	
D01	Dampturbine med modtryksdrift	Steam backpressure turbine																																	
D02	Gasturbine	Gas turbine																																	
D03	Kombineret	Combined cycle																																	
D04	Forbrændingsmotor Gas	Internal combustion engine Gas																																	
D05	Dampturbine med kondens/damp	Steam turbine condensation/steam																																	
D06	Kedel	Boiler																																	
D07	Stirlingmotor	Stirling engine																																	
D08	Permanent tilsluttede elektriske energilageranlæg	Permanently connected electrical energy storage facilities																																	
D09	Temporært tilsluttede elektriske energilageranlæg	Temporarily connected electrical energy storage facilities																																	
D10	Brændselsceller	Fuel cells																																	

		D11	Solceller	Photovoltaics									
		D12	Vindmøller	Wind turbines									
		D13	Vandkraft	Hydropower									
		D14	Bølgekraft	Wave power									
		D15	Blandet produktion	Mixed production									
		D16	Produktion med el- ektriske energilageranlæg	Production with electrical energy storage facilities									
		D17	Power-to-X	Power-to-X									
		D18	Regenerative forbrug- sanlæg	Regenerative demand fa- cility									
		D19	Forbrændingsmotor Dieselmotor	Internal combustion en- gine diesel engine									
		D20	Bioforbrændingsmotor	Biocombustion engine									
		D99	Ukendt teknologi	Unknown technology									
occurrence	String	Date of the data request.											
gridOperatorId	String	Id of the Grid Operator.											
gridOperatorId_SchemeAgencyIdentifier	String	Specifies which Agency the Balance supplier Identifier is associated with. Possible values: GLN: Global Location Number Link EIC: The Energy Identification Coding Link											
darReference	String	Specifies the reference id to the public Danish Address Register.											
protectedName	String	Specifies if the name is protected. (This is not available in Third party API)											
mpAddressWashInstructions	String	Specifies if the address can be washed against the public Danish address register. Possible values:											
		<table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>D01</td> <td>Vaskbar</td> <td>Washable</td> </tr> <tr> <td>D02</td> <td>Ikke vaskbar</td> <td>Not washable</td> </tr> </tbody> </table>	Code	Description DK	Description EN	D01	Vaskbar	Washable	D02	Ikke vaskbar	Not washable		
Code	Description DK	Description EN											
D01	Vaskbar	Washable											
D02	Ikke vaskbar	Not washable											
balanceSupplierId	String	Id of the Balance supplier. (This is not available in Third party API)											
balanceSupplierId_SchemeAgencyIdentifier	String	Specifies which Agency the Balance supplier Identifier is associated with. (This is not available in Third party API) Possible values: GLN: Global Location Number Link EIC: The Energy Identification Coding Link											

2.3 Charge data

Below is a list of data that can be retrieved when performing a *Get charges* request.

Field name	Data type	Description
meteringPointId	String	Unique metering point id consisting of 18 characters.
subscriptions		
name	String	Short subscription name.
description	String	Subscription description.

owner	String	Specifies a GLN (Global Location Number) representing the owner of the subscription (grid operator).
validFromDate	String	Date from when the subscription was linked to the metering point. If the subscription was linked to the metering point in the past, validFromDate will be equal to Today. The date is expressed in UTC as specified in ISO 8601.
validToDate	String	Date until when the subscription is linked to the metering point. Is null, if no end date is set. The date is expressed in UTC as specified in ISO 8601.
price	Number	The value representing the price of the subscription.
quantity	Number	The number of times the subscription has been linked to the metering point.
periodType	String	Resolution of charge. Possible values are: <ul style="list-style-type: none"> • PT15M (Quarter-hourly) • PT1H (Hourly) • P1M (Monthly) • ANDET (Other)

fees		
name	String	Short fee name.
description	String	Fee description.
owner	String	Specifies a GLN (Global Location Number) representing the owner of the fee (grid operator).
validFromDate	String	Date from when the fee was linked to the metering point. Can only be Today, since only fees that are valid today are returned. The date is expressed in UTC as specified in ISO 8601.
validToDate	String	Will always be null. A fee can only refer to a specific day (the validFromDate) and never has a validToDate.
price	Number	The value representing the price of the fee.
quantity	Number	The number of times the fee has been linked to the metering point.
periodType	String	Resolution of charge. Possible values are: <ul style="list-style-type: none"> • PT15M (Quarter-hourly) • PT1H (Hourly) • P1M (Monthly) • ANDET (Other)

tariffs		
name	String	Short tariff name.
description	String	Tariff description.
owner	String	Specifies a GLN (Global Location Number) representing the owner of the tariff (grid operator or system operator).
periodType	String	Type of period for which the tariff applies. Possible values: Day or Hour
validFromDate	String	Date from when the tariff is linked to the metering point. If the tariff was linked to the metering point in the past, validFromDate will be equal to Today. The date is expressed in UTC as specified in ISO 8601.
validToDate	String	Date until when the tariff is linked to the metering point. Is null, if no end date is set. The date is expressed in UTC as specified in ISO 8601.
periodType	String	Resolution of charge. Possible values are:

		<ul style="list-style-type: none"> • PT15M (Quarter-hourly) • PT1H (Hourly) • P1M (Monthly) • ANDET (Other)
prices		
position	Number	Possible values: 1-24 If the periodType is <i>Day</i> , then 1 position is returned. If the periodType is <i>Hour</i> , then 24 positions are returned.
price	String	The value representing the price for the specific position.

2.4 Meter reading data

Below is a list of data that can be retrieved when performing a *Get meter readings* request.

Please note: Submission of meter readings to DataHub is no longer mandatory since end of 2021. Therefore, data may not be available for all metering points

Field name	Data type	Description																																	
meteringPointId	String	Unique metering point id consisting of 18 characters.																																	
readings																																			
readingDate	String	Date when the reading was performed. The date is expressed in UTC as specified in ISO 8601.																																	
registrationDate	String	Date and time when the reading was registered in DataHub. The date/time is expressed in UTC as specified in ISO 8601.																																	
meterNumber	String	Meter number identifying the physical meter.																																	
meterReading	String	The actual value of the reading.																																	
measurementUnit	String	The measurement unit of the reading. Possible values: <table border="1" data-bbox="619 1249 1246 1702"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>AMP</td> <td>Ampere</td> <td>Ampere</td> </tr> <tr> <td>H87</td> <td>Antal styk</td> <td>STK</td> </tr> <tr> <td>K3</td> <td>kVArh</td> <td>kVArh (KiloVolt-Ampere reactive hour)</td> </tr> <tr> <td>KWH</td> <td>kWh</td> <td>kWh (Kilowatt-hour)</td> </tr> <tr> <td>KWT</td> <td>kW</td> <td>kW (Kilowatt)</td> </tr> <tr> <td>MAW</td> <td>MW</td> <td>MW (Megawatt)</td> </tr> <tr> <td>MWH</td> <td>MWh</td> <td>MWh (Megawatt-hour)</td> </tr> <tr> <td>TNE</td> <td>Tons</td> <td>Tonne (metric ton)</td> </tr> <tr> <td>Z03</td> <td>MVAr</td> <td>MVAr (MegaVolt-Ampere reactive power)</td> </tr> <tr> <td>Z14</td> <td>KT (tarif kode)</td> <td>Danish Tariff Code</td> </tr> </tbody> </table>	Code	Description DK	Description EN	AMP	Ampere	Ampere	H87	Antal styk	STK	K3	kVArh	kVArh (KiloVolt-Ampere reactive hour)	KWH	kWh	kWh (Kilowatt-hour)	KWT	kW	kW (Kilowatt)	MAW	MW	MW (Megawatt)	MWH	MWh	MWh (Megawatt-hour)	TNE	Tons	Tonne (metric ton)	Z03	MVAr	MVAr (MegaVolt-Ampere reactive power)	Z14	KT (tarif kode)	Danish Tariff Code
Code	Description DK	Description EN																																	
AMP	Ampere	Ampere																																	
H87	Antal styk	STK																																	
K3	kVArh	kVArh (KiloVolt-Ampere reactive hour)																																	
KWH	kWh	kWh (Kilowatt-hour)																																	
KWT	kW	kW (Kilowatt)																																	
MAW	MW	MW (Megawatt)																																	
MWH	MWh	MWh (Megawatt-hour)																																	
TNE	Tons	Tonne (metric ton)																																	
Z03	MVAr	MVAr (MegaVolt-Ampere reactive power)																																	
Z14	KT (tarif kode)	Danish Tariff Code																																	

2.5 Time series data

Below is a list of data that can be retrieved when performing a *Get time series* request.

Field name	Data type	Description
MyEnergyData_MarketDocument		
mRID	String	Identification of the market document. If several MarketDocument structures are contained in the same message, then all of them will have the same id.

createdDateTime	String	The date and time of the creation of the document/message. The date/time is expressed in UTC as specified in ISO 8601.												
sender_MarketParticipant.name	String	Sender name. Fixed value = Energinet												
sender_MarketParticipant.mRID														
codingScheme	String	The coding scheme used for the sender mRID. Fixed value = A10 This code specifies that the coding scheme used is the Global Location Number (GLN 13) maintained by GS1.												
name	String	GLN (Global Location Number) of DataHub. Fixed value = 5790001330583												
period.timeInterval														
start	String	Start date of the total time interval for all time series in the specific Market_document. The date is expressed in UTC as specified in ISO 8601.												
end	String	End date of the total time interval for all time series in the specific Market_document. The date is expressed in UTC as specified in ISO 8601.												
TimeSeries														
mRID	String	Unique metering point id consisting of 18 characters.												
businessType	String	A code specifying the nature of the time series. Possible values: <table border="1" data-bbox="738 1077 1233 1245"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> </tr> </thead> <tbody> <tr> <td>A01</td> <td>Produktion</td> <td>Production</td> </tr> <tr> <td>A04</td> <td>Forbrug</td> <td>Consumption</td> </tr> <tr> <td>A64</td> <td>Forbrug (skabelon)</td> <td>Consumption (profiled)</td> </tr> </tbody> </table>	Code	Description DK	Description EN	A01	Produktion	Production	A04	Forbrug	Consumption	A64	Forbrug (skabelon)	Consumption (profiled)
Code	Description DK	Description EN												
A01	Produktion	Production												
A04	Forbrug	Consumption												
A64	Forbrug (skabelon)	Consumption (profiled)												
curveType	String	The coded representation of the type of curve being described. Will always be A01, specifying that the curve is made of successive Intervals of time (blocks) of constant duration (size), where the size of the blocks is equal to the resolution of the period.												
measurement_Unit.name	String	The unit of measure that is applied to a quantity.												
MarketEvaluationPoint														
mRID														
codingScheme	String	The coding scheme used for the market evaluation point mRID. Fixed value = A10 This code specifies that the coding scheme used is the Global Service Relation Number (GSRN 18) maintained by GS1.												
name	String	Unique metering point id consisting of 18 characters.												
Period														
resolution	String	Specifies the resolution that the specific period covers. Possible values: <table border="1" data-bbox="738 1957 1331 2085"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> <th>Comment</th> </tr> </thead> <tbody> <tr> <td>PT15M</td> <td>Kvarter</td> <td>Quarter of an hour</td> <td></td> </tr> </tbody> </table>	Code	Description DK	Description EN	Comment	PT15M	Kvarter	Quarter of an hour					
Code	Description DK	Description EN	Comment											
PT15M	Kvarter	Quarter of an hour												

		PT1H	Time	Hour																									
		P1D	Dag	Day																									
		P1M	Måned	Month																									
		P1Y	År	Year																									
		PXD	X dage	X days	X is a variable. This resolution is only applicable to profiled energy quantities which can cover periods of various lengths. Therefore, the period resolution is reported in days.																								
timeInterval																													
start	String	Start date of period. The date is expressed in UTC as specified in ISO 8601.																											
end	String	End date of period. The date is expressed in UTC as specified in ISO 8601.																											
Point																													
position	String	Possible values: 1-96																											
out_Quantity.quantity	String	The quantity value associated with a given point, with a maximum 3 decimals																											
out_Quantity.quality	String	<p>The quality of the quantity associated with a given point.</p> <p>Possible values:</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Description DK</th> <th>Description EN</th> <th>Comment</th> </tr> </thead> <tbody> <tr> <td>A01</td> <td>Korrigeret</td> <td>Adjusted</td> <td>Will no longer be used after February 2020. Until then it specifies energy quantities which are calculated by DataHub.</td> </tr> <tr> <td>A02</td> <td>Mangler</td> <td>Not available</td> <td>Specifies that the grid operator has submitted a "missing indicator" to DataHub for the specific position, meaning that the energy quantity is not available. Therefore, no quantity will be returned for the specific position.</td> </tr> <tr> <td>A03</td> <td>Estimeret</td> <td>Estimated</td> <td>Specifies that the grid operator has submitted the quantity to DataHub as an estimate.</td> </tr> <tr> <td>A04</td> <td>Målt</td> <td>As provided</td> <td>Specifies that the grid operator has submitted the quantity to DataHub as measured.</td> </tr> <tr> <td>A05</td> <td>Ufuldstændig</td> <td>Incomplete</td> <td>Is applied to an aggregated energy quantity if at least one of the quantities included in the aggregation has been submitted to DataHub with a "missing indicator", meaning that the</td> </tr> </tbody> </table>				Code	Description DK	Description EN	Comment	A01	Korrigeret	Adjusted	Will no longer be used after February 2020. Until then it specifies energy quantities which are calculated by DataHub.	A02	Mangler	Not available	Specifies that the grid operator has submitted a "missing indicator" to DataHub for the specific position, meaning that the energy quantity is not available. Therefore, no quantity will be returned for the specific position.	A03	Estimeret	Estimated	Specifies that the grid operator has submitted the quantity to DataHub as an estimate.	A04	Målt	As provided	Specifies that the grid operator has submitted the quantity to DataHub as measured.	A05	Ufuldstændig	Incomplete	Is applied to an aggregated energy quantity if at least one of the quantities included in the aggregation has been submitted to DataHub with a "missing indicator", meaning that the
Code	Description DK	Description EN	Comment																										
A01	Korrigeret	Adjusted	Will no longer be used after February 2020. Until then it specifies energy quantities which are calculated by DataHub.																										
A02	Mangler	Not available	Specifies that the grid operator has submitted a "missing indicator" to DataHub for the specific position, meaning that the energy quantity is not available. Therefore, no quantity will be returned for the specific position.																										
A03	Estimeret	Estimated	Specifies that the grid operator has submitted the quantity to DataHub as an estimate.																										
A04	Målt	As provided	Specifies that the grid operator has submitted the quantity to DataHub as measured.																										
A05	Ufuldstændig	Incomplete	Is applied to an aggregated energy quantity if at least one of the quantities included in the aggregation has been submitted to DataHub with a "missing indicator", meaning that the																										

					quantity is not available (as described under code A02).
--	--	--	--	--	--